



GUANTES CON AGARRE DE ALTA RESISTENCIA FG14

Excelente par de guantes para trabajos pesados y uso general.

Referencia: FG14

Tallas: L

Área de uso: Cámara de refrigeración +5 a -5°C , Temperatura Ambiente

Puesto de trabajo: Preparador de pedidos



Certificación 1: EN 388:2016+A1:2018
1,1,3,1,X

Actualizado en: 12/03/2025

Peso	0.12 kg
Material del producto	Acrylic
Empaque	Cardboard Box
Instrucciones de almacenamiento	Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored in a cupboard.
Instrucciones para el usuario	Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it.
CAT	II
DoC	The PPE detailed herein meets the criteria of Article 19(b) Risk Category II: internal production control (module B) set out in Annex V, followed by conformity of type based on internal production control (module C) set out in Annex VI, in accordance with PPE Regulation (EU) 2016/425, (UK only) as brought into UK law and amended Essential Health and Safety Requirements.
Código HS	61161020 Gloves, impregnated, coated, covered or laminated with rubber, knitted or crocheted
País de origen	Pakistán

DESCRIPCIÓN GENERAL

- Muñeca elástica, mejor ajuste y confort.
- PVC Criss Cross - Enlace de muñeca, mayor durabilidad y desgaste