



## GUANTES DE PROTECCIÓN TÉRMICA (PARA FRÍO) - ENDURANCE KEVLAR GRIP FG690C

Los guantes Endurance Kevlar cuentan con una tecnología única que hace que la resistencia, durabilidad y calidez de estos guantes no tengan rival.

Referencia: FG690C

Tallas: XS , S , M , L , XL , 2XL , SP

Área de uso: Cámara de congelación -5 a -50°C

Puesto de trabajo: Preparador de pedidos



Certificación 1: EN 388:2016+A1:2018  
3 4 4 4 D



Certificación 2: EN 511:2006  
2 3 X

Actualizado en: 12/03/2025

<b>Peso</b>	0.23 kg
<b>Material del producto</b>	Armortex palm/Taslon back
<b>Empaque</b>	Cardboard Box
<b>Instrucciones de almacenamiento</b>	Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored in a cupboard.
<b>Instrucciones para el usuario</b>	Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it.
<b>Color</b>	Rojo
<b>CAT</b>	II
<b>DoC</b>	The PPE detailed herein meets the criteria of Article 19(b) Risk Category II: internal production control (module B) set out in Annex V, followed by conformity of type based on internal production control (module C) set out in Annex VI, in accordance with PPE Regulation (EU) 2016/425, (UK only) as brought into UK law and amended Essential Health and Safety Requirements.
<b>Código HS</b>	62160000 Gloves, mittens and mitts, of all types of textile materials (excl. knitted or crocheted and for babies)
<b>País de origen</b>	Indonesia

## DESCRIPCIÓN GENERAL

---

- Guante ergonómico precurvado - Se adapta a la curvatura natural de la mano
- Protección de nudillos.
- Tecnología UG - Un diseño patentado que proporciona un agarre superior en entornos fríos
- Guantelete doble / puño de punto - Utilízelo como guantelete o como puño de punto estándar
- Zonas de desgaste extra fuertes - Cuero de doble capa
- Cumple con la normativa de salud y seguridad
- Refuerzo de fibra de aramida - Palma de tela para una resistencia extrema al desgaste
- Disponible en 6 tallas
- Homologado según las normas EN 511 & EN 388

## ICONOS DE PRODUCTO

---



TECNOLOGÍA DE AGARRE UG



CUERO VEGANO