



CHAQUETÓN TÉRMICO PARA CÁMARAS FRIGORÍFICAS - X12W

Chaquetón largo, versátil y resistente para cámaras de refrigeración.

Referencia: X12W

Tallas: XS , S , M , L , XL , 2XL , 3XL , 4XL , 5XL , Especial

Área de uso: Cámara de refrigeración +5 a -5°C , Temperatura Ambiente

Puesto de trabajo: Operador de carretillas elevadoras , Preparador de pedidos


Términos de búsqueda : chiller jacket



Certificación 1: CE
Minimal Risk

Actualizado en: 24/03/2025

Peso	0.9 kg
Material del producto	100% poliéster
Empaque	Cardboard Box
Instrucciones de almacenamiento	Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored on a hanger.
Instrucciones para el usuario	Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it.
Peso de la tela exterior	160.0
Peso del revestimiento interior	70.0
Zip	Opti S80 Coil Zipper
Color	Armada
CAT	II
DoC	The PPE detailed herein meets the criteria of Article 19(b) Risk Category II: internal production control (module B) set out in Annex V, followed by conformity of type based on internal production control (module C) set out in Annex VI, in accordance with PPE Regulation (EU) 2016/425, (UK only) as brought into UK law and amended Essential Health and Safety Requirements.

Código HS	62014010 Men's or boys' overcoats, car-coats, capes, cloaks, anoraks, incl. ski jackets, wind-cheaters, wind-jackets and similar articles, of man-made fibres, of a weight per garment of <= 1 kg (excl. knitted or crocheted, suits, ensembles, jackets, blazers and trousers)
País de origen	Bulgaria
Instrucciones de lavado	

DESCRIPCIÓN GENERAL

- Fabricado en Europa.
- ReachEasy - Flexibilidad, calidez y comodidad.
- Cuello de vellón alto - Doble capa para mayor calidez
- Cremallera Opti - Cremallera de nailon nº 8 según la norma BS3084.
- Tejido HTTY Rip-stop - Tejido externo HTTY Ripstop mejorado para una mayor durabilidad
- Guata IFX termo-reactiva - Mantiene a la temperatura óptima.
- Puños y guantes elásticos - Protección adicional para las muñecas y las manos, y evita que el aire frío llegue a los brazos.
- Espalda extendida - Para una mayor protección en actividades físicas intensas.
- Fabricado según las especificaciones de la norma EN342.
- Hilo antipudrición - protección contra el desgaste en condiciones extremas
- Beard Guard - No cold zip pull against mouth.
- CE categoría 1.

ICONOS DE PRODUCTO



HECHO EN EUROPA



DE ORIGEN SOSTENIBLE



LIGERO

FICHA TÉCNICA



ESTÁNDAR 100



1 AÑO DE GARANTÍA



Correo electrónico: sales@flexitog.com
Teléfono: +31 174 705 840
Sitio web: <https://www.flexitog.eu>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
Reino Unido

FlexiTog EU
Schuttevaerweg 17
3044 BA Rotterdam
Holanda