



COPRICAPO-SCALDACOLLO ENDURANCE IN PILE FH96

Un indumento molto diffuso nei magazzini frigoriferi grazie alla sua versatilità.

Rif: FH96

Varianti: Blu scuro

Area di utilizzo: Cella frigo/Freezer -5 to -50°C , Refrigeratore +5 to -5°C

Ruolo: Guidatore , Picking , Manager

CE Certificazione 1: CE
Minimal Risk

Aggiornato il: 21/03/2025

PRODOTTO

SCHEMA DATI



Peso	0.08 kg
Materiale del prodotto	Poliestere
Confezione	Scatola di cartone
Istruzioni per la conservazione	Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging.
Istruzioni per l'utente	Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it.
Colori	Marina Militare
CAT	I
DoC	The PPE detailed herein meets the criteria of Article 19(a) Risk Category I: internal production control (module A) set out in Annex IV, in accordance with PPE Regulation (EU) 2016/425, (UK only) as brought into UK law and amended Essential Health and Safety Requirements.
Codice delle merci	65050090 Hats and other headgear, knitted or crocheted, or made up from lace, felt or other textile fabric, in the piece (but not in strips), whether or not lined or trimmed (excl. of fur felt or of felt of wool and fur, peaked caps, headgear for animals or headgear having the character of toys or festive articles)
Paese d'origine	Cina

E-mail: sales@flexitog.com
Telefono: +31 174 705 840
Sito web: <https://www.flexitog.eu/it>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
Regno Unito

FlexiTog EU
Schuttevaerweg 17
3044 BA Rotterdam
Paesi Bassi

PRODOTTO

SCHEDA DATI

FlexiTog[®]

Istruzioni di lavaggio



HEADWEAR

FH88 | FH89 | FH90 | FH91 | FH92 | FH94 | FH96

• Hand wash • Cool water • No bleach • Dry flat

E-mail: sales@flexitog.com
Telefono: +31 174 705 840
Sito web: <https://www.flexitog.eu/it>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
Regno Unito

FlexiTog EU
Schuttevaerweg 17
3044 BA Rotterdam
Paesi Bassi

CARATTERISTICHE

- MORBIDO PILE ANTI-PILLING, PER UN COMFORT SUPERIORE
- MICRO PILE 200G
- CORDONCINO ELASTICO CHE SI ADATTA ALLE DIMENSIONI DEL VISO
- PRODOTTO MULTI-USO
- PARTE SUPERIORE VENTILATA
- TAGLIA UNICA
- COPRICAPO CHE PERMETTE LA REGOLAZIONE DEL FLUSSO E DELLA TEMPERATURA DELL'ARIA
- PASSANTE REGOLABILE PER UNA VESTIBILITÀ PERFETTA.
- L'FH96 è stato testato per il lavaggio a 40°C e per l'asciugatura all'aria, quindi niente asciugatrice, per cinque cicli. Si consiglia di non utilizzare candeggina o detersivo.

ICONE PRODOTTO



STANDARD 100