



SALOPETTE ENDURANCE DRIVE X29S

Preferita dai conducenti di carrelli elevatori e transpallet a temperature sottozero, grazie all'isolamento ad alta performance ed alla parte frontale innalzata per una maggiore tenuta di calore.

Rif: X29S

Varianti: XS , S , M , L , XL , 2XL , 3XL , 4XL , 5XL , 6XL , SP

Area di utilizzo: Cella frigo/Freezer -5 to -50°C

Ruolo: Guidatore



Certificazione 1: EN 342:2017
0.387 (B) 1 X

Certificazione valida fino al: 21/12/2027

Aggiornato il: 16/04/2025

PRODOTTO

SCHEMA DATI



Peso	1.62 kg
Materiale del prodotto	Poliestere
Confezione	Scatola di cartone
Istruzioni per la conservazione	Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored on a hanger.
Istruzioni per l'utente	Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it.
Peso dell'isolamento	200.0
Colori	Blu scuro/Giallo fosforescente
CAT	II
DoC	The PPE detailed herein meets the criteria of Article 19(b) Risk Category II: internal production control (module B) set out in Annex V, followed by conformity of type based on internal production control (module C) set out in Annex VI, in accordance with PPE Regulation (EU) 2016/425, (UK only) as brought into UK law and amended Essential Health and Safety Requirements.
Codice delle merci	62034911 Men's or boys' trousers and breeches of artificial fibres, industrial and occupational (excl. knitted or crocheted and bib and brace overalls)

E-mail: sales@flexitog.com
Telefono: +31 174 705 840
Sito web: <https://www.flexitog.eu/it>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
Regno Unito

FlexiTog EU
Schuttevaerweg 17
3044 BA Rotterdam
Paesi Bassi

PRODOTTO SCHEDA DATI

FlexiTog[®]

Paese d'origine	Bulgaria
Istruzioni di lavaggio	

E-mail: sales@flexitog.com
Telefono: +31 174 705 840
Sito web: <https://www.flexitog.eu/it>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
Regno Unito

FlexiTog EU
Schuttevaerweg 17
3044 BA Rotterdam
Paesi Bassi

CARATTERISTICHE

- Prodotto in Europa.
- Parte anteriore alta – offre una maggiore protezione della parte superiore del corpo.
- Tessuto Endurance da 260 g/m² - massima robustezza per una maggiore resistenza all'usura delle salopette.
- Clo Insulation da 200 g/m² - Calore Superiore e comfort
- Certificata secondo gli standard EN 342:2017, classe 1 traspirabilita'
- Lunghezza gamba regolabile – con la nostra nuova funzionalita', puoi ora regolare la lunghezza della gamba desiderata. (70cm, 75cm, 86 cm)
- Tasche porta ginocchiere usate in combinazione con le nostre ginocchiere XK1
- Protezione cucitura – tessuto alta visibilita' che copre le cuciture per protezione e visibilita'
- Cerniera sulla gamba per indossare facilmente l'indumento

ICONE PRODOTTO



ISOLAMENTO PROFESSIONALE



STANDARD 100



REALIZZATO IN MANIERA SOSTENIBILE



1 ANNO DI GARANZIA



PELLE VEGANA