



GILET REFRIGERATORE X12G CON LOGO

Un gilet da lavoro resistente, leggero e versatile per basse temperature.

Rif: X12GLogo

Varianti: XS , S , M , L , XL , 2XL , 3XL , 4XL , 5XL , Special , RICAMATO , STAMPO
A CALDO , PETTO SX , RETRO , PETTO SX + RETRO

CE Certificazione 1: CE

Aggiornato il: 10/04/2025

PRODOTTO

SCHEMA DATI

The logo for FlexiTog, featuring the brand name in a white, sans-serif font on a red rectangular background.

Peso	0.5 kg
Materiale del prodotto	Poliestere
Confezione	Scatola di cartone
Istruzioni per la conservazione	Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored on a hanger.
Istruzioni per l'utente	Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it.
Codice delle merci	62014010 Men's or boys' overcoats, car-coats, capes, cloaks, anoraks, incl. ski jackets, wind-cheaters, wind-jackets and similar articles, of man-made fibres, of a weight per garment of <= 1 kg (excl. knitted or crocheted, suits, ensembles, jackets, blazers and trousers)
Paese d'origine	Bulgaria

E-mail: sales@flexitog.com
Telefono: +31 174 705 840
Sito web: <https://www.flexitog.eu/it>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
Regno Unito

FlexiTog EU
Schuttevaerweg 17
3044 BA Rotterdam
Paesi Bassi

CARATTERISTICHE

- Prodotto in Europa.
- Collo alto felpato - doppio strato per extra calore
- LEGGERO E FLESSIBILE - PUO' ESSERE USATO COME SOTTOVESTE PER COMPLEMENTARE LA LINEA X240, X260 & X330CERNIERA
- 'OPTI ZIP' - CERNIERA A SPIRALE IN NYLON NO.8 CON RATING BS3084
- TESSUTO HTTY ANTI-STRAPPO PER MAGGIORE DURABILITA'
- IFX TERMO REATTIVA - PER TENERTI A TEMPERATURA OTTIMALE
- Filato anti-decomposizione per la protezione dall'usura in condizioni estreme
- ALTA VISIBILITA' INCORPORATA PER MAGGIORE SICUREZZA E VISIBILITA'