

# PRODUCT DATA SHEET

FlexiTog®



## Base Be-Dry Chill Safety Shoe S3 WR CI HRO SRC size 36/03

Ref: 730B0894

Variants: 3 (36) , 4 (37) , 5 (38) , 6 (39) , 6.5 (40) , 7 (41) , 8 (42) , 9 (43) , 10 (44) ,  
10.5 (45) , 11 (46) , 12 (47) , 13 (48) , 14 (49) , 15 (50)

Updated On: 24/04/2025

Email: [sales@flexitog.com](mailto:sales@flexitog.com)  
Phone: +31 174 705 840  
Website: <https://www.flexitog.eu>

FlexiTog UK  
FlexiTog UK Ltd  
The Granary Business Park  
School Road, Neatishead  
Norfolk  
NR12 8BU  
Groot-Brittannië

FlexiTog EU  
Schuttevaerweg 17  
3044 BA Rotterdam  
Nederland

# PRODUCT DATA SHEET



<b>Country of Origin</b>	Groot-Brittannië
--------------------------	------------------

Email: [sales@flexitog.com](mailto:sales@flexitog.com)  
Phone: +31 174 705 840  
Website: <https://www.flexitog.eu>

FlexiTog UK  
FlexiTog UK Ltd  
The Granary Business Park  
School Road, Neatishead  
Norfolk  
NR12 8BU  
Groot-Brittannië

FlexiTog EU  
Schuttevaerweg 17  
3044 BA Rotterdam  
Nederland

## OVERVIEW

---

- Anti-static
- Water resistant upper to prevent water penetration
- Non-magnetic - nickel and ferrous free
- 200 joules resistant toe-cap
- Puncture resistant sole
- Shock absorption in the heel region
- Heat resistant 1 minute up to 300°C
- Cold insulation up to -17°C
- Hydrocarbons resistant
- Men's width
- Orthopaedic made to measure footbed, complying with european norms DGUV112-191
- Heat insulation up to 150°C

### Content:

**Upper:** Water-Resistant Full Grain Leather with H2stOp Membrane

**Lining:** SmellStop Antiodor and Antibacterial\*

**Internal toecap:** SlimCap

**Internal midsole:** Fresh'n Flex

**Outsole:** AirTech Double-Density PU/HRO Rubber Life Plus Technology

**Compliance:** UNI EN ISO 20345:2012 S3 WR CI HRO SRC

**Colour:** Black/Red

**Sizes:** 36 - 50 (UK 3 - 15)