



ICE DIAMOND DIEPVRIESLAARS MET LEREN BOVENKANT ID503

Ergonomisch gevormde diepvrieslaars met uitneembare voering voor ongeëvenaarde warmte en comfort.

Ref: ID503

Variants: 7/8 , 9/10 , 11/12

Toepassingsgebied: Koelhuis / diepvries -5 to -50°C

Taakomschrijving: Bestuurder



Certification 1: EN ISO 20345:2011
SBH CI SRA



Certification 2: UKCA
SBH CI SRA

Certification Valid Until: 12/06/2026

Updated On: 16/04/2025

PRODUCT DATA SHEET



| | |
|-----------------------------|---|
| Weight | 2.49 kg |
| Product Material | Leather upper/rubber sole |
| Packaging | Shoe Box |
| Storage Instructions | Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored in a cupboard. |
| User Instructions | Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it. |
| Colours | Black |
| DoC | The PPE detailed herein meets the criteria of Article 19(a) Risk Category I: internal production control (module A) set out in Annex IV, in accordance with PPE Regulation (EU) 2016/425, (UK only) as brought into UK law and amended Essential Health and Safety Requirements. |
| Commodity Code | 64034000 Footwear, incorporating a protective metal toecap, with outer soles of rubber, plastics, leather or composition leather and uppers of leather (excl. sports footwear and orthopaedic footwear) |
| Country of Origin | India |

Email: sales@flexitog.com
Phone: +31 174 705 840
Website: <https://www.flexitog.eu>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
Groot-Brittannië

FlexiTog EU
Schuttevaerweg 17
3044 BA Rotterdam
Nederland

OVERVIEW

- Bovenwerk van leer - Grotere sterkte en duurzaamheid op plekken met veel slijtage
- Uitneembare voering - Tijdens de pauze kan de machinist zijn voering verwisselen en een droog paar voor de volgende dienst
- 200J stalen neus - Stalen ontwerp biedt 200J bescherming tegen stoten
- Viltten binnenzool - Geen koude overdracht door de zool en het vilt vormt zich naar de vorm van de voet voor meer draagcomfort
- Speciaal samengestelde PU - bevriest niet in koude omstandigheden, dus minder scheuren en betere grip
- Gemakkelijk aan en uit te doen
- SRA Slip-classificatie
- CI getest - getest tegen de kou
- Vervaardigd in India

PRODUCT ICONS



DUURZAAM