



BEZPIECZNY NÓŻ ROBOCZY Z RUCHOMYM OSTRZEM FA7

Nóż BEZPIECZNY NÓŻ ROBOCZY Z RUCHOMYM OSTRZEM FA7 to niezbędny podczas pracy w magazynie - idealny do cięcia taśmy spinającej palety, folii termokurczliwej oraz kartonów jednowarstwowych.

Ref: FA7

Variants: Red/Black

Miejsce przeznaczenia: Chłdnia / mroźnia -5 do -50°C , Zimny magazyn +5 do -5°C , Niskie temperatury na zewnątrz , Wodoodporne / Branża rybna

Stanowisko pracy: Kierowca , Pracownik fizyczny , Menedżer

Updated On: 02/04/2025

PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, sans-serif font with a registered trademark symbol, set against a red rectangular background.

| | |
|--------------------------|---|
| Weight | 0.1 kg |
| Product Material | Plastic |
| Packaging | Cardboard Box |
| User Instructions | Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it. |
| Commodity Code | 82089000 Knives and cutting blades, of base metal, for machines or for mechanical appliances (excl. those for metal or wood-working, kitchen appliances or machines used by the food industry and those for agricultural, horticultural or forestry machines) |
| Country of Origin | Chiny |

Email: sales@flexitog.com
Phone: +31 174 705 840
Website: <https://www.flexitog.eu>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
Wielka Brytania

FlexiTog EU
Schuttevaerweg 17
3044 BA Rotterdam
Holandia

OVERVIEW

- Moving Edge - Allows the blade to move in a slicing action while the Safety Knife cuts. Reduces snagging and requires less force.
- Enclosed blade - Prevents cut related accidents with pocket and finger safe enclosed blade.
- Light Weight robust design.
- Built-in tape cutter - Perfect for box opening.
- Removeable blade - Time saving blade change - see FA7SB.