



KLASYCZNE RĘKAWICE DO CHŁODNI FG6

Podszewka z terry i powlekane rękawice, idealne dla osób kompletujących zamówienia w chłodni.

Ref: FG6

Variants: S , M , L , XL

Miejsce przeznaczenia: Chłodnia / mroźnia -5 do -50°C , Zimny magazyn +5 do -5°C

Stanowisko pracy: Pracownik fizyczny



Certification 1: EN 388:2016+A1:2018

3 2 3 1 X



Certification 2: EN 511:2006

X 2 X

Updated On: 03/04/2025

PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, sans-serif font with a registered trademark symbol, set against a red rectangular background.

Weight	0.1 kg
Product Material	Acrylic
Packaging	Cardboard Box
Storage Instructions	Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored in a cupboard.
User Instructions	Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it.
Commodity Code	61161020 Gloves, impregnated, coated, covered or laminated with rubber, knitted or crocheted
Country of Origin	Pakistan

Email: sales@flexitog.com
Phone: +31 174 705 840
Website: <https://www.flexitog.eu>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
Wielka Brytania

FlexiTog EU
Schuttevaerweg 17
3044 BA Rotterdam
Holandia

OVERVIEW

- Nitrile-dipped palms ensure extra strong, durable grip, while the nitrile coating means that no allergic reactions are experienced by the wearer.
- Benefits Looped lining - For extra warmth and comfort
- Non-allergic nitrile coating - No adverse reactions to glove wear
- Elasticated wrist - Better fit and comfort with no cold draughts
- Nitrile dipped palm - Extra strong grip coating for durability
- Conforms to EN 388:2016 and EN 511:2006.

PRODUCT ICONS



STANDARD 100