



## BUTY DO MROŻNI ICE DIAMOND Z PANELEM Z TKANINY ID501 (KOPIA)

Pull-on freezer boot with removable liner for unrivalled warmth and comfort when compared against the standard CI cold test performed in conjunction with EN 20345.

Ref: ID601

Variants: 4 (37) , 5 (38) , 6 (39) , 6.5 (40) , 7 (41) , 8 (42) , 9 (43) , 10 (44) , 10.5 (45) , 11 (46) , 12 (47) , 13 (48) , 14 (49)

Miejsce przeznaczenia: Chłodnia / mroźnia -5 do -50°C

Stanowisko pracy: Kierowca



Certification 1: EN ISO 20345:2011  
SBH CI SRA

Certification 2: UKCA

Updated On: 12/03/2025

# PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, bold, sans-serif font on a red rectangular background.

<b>Weight</b>	1.7 kg
<b>Product Material</b>	Fabric upper/rubber sole
<b>Packaging</b>	Shoe Box
<b>Storage Instructions</b>	Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored in a cupboard.
<b>User Instructions</b>	Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it.
<b>Kolor</b>	Black
<b>CAT</b>	II
<b>DoC</b>	The PPE detailed herein meets the criteria of Article 19(b) Risk Category II: internal production control (module B) set out in Annex V, followed by conformity of type based on internal production control (module C) set out in Annex VI, in accordance with PPE Regulation (EU) 2016/425, (UK only) as brought into UK law and amended Essential Health and Safety Requirements.
<b>Commodity Code</b>	64035195 Men's footwear with outer soles and uppers of leather, covering the ankle and calf, with in-soles of >= 24 cm in length (excl. incorporating a protective metal toecap, sports footwear, and orthopaedic footwear)
<b>Country of Origin</b>	Indie

Email: [sales@flexitog.com](mailto:sales@flexitog.com)  
Phone: +31 174 705 840  
Website: <https://www.flexitog.eu>

FlexiTog UK  
FlexiTog UK Ltd  
The Granary Business Park  
School Road, Neatishead  
Norfolk  
NR12 8BU  
Wielka Brytania

FlexiTog EU  
Schuttevaerweg 17  
3044 BA Rotterdam  
Holandia

# PRODUCT DATA SHEET

FlexiTog®

## OVERVIEW

---

- Abrasion resistant upper - Designed for comfort and flexibility as well as being lightweight
- Specially formulated EVA midsole and rubber outsole - Doesn't freeze up in cold conditions, so less cracking and better grip
- 3 Layer insole - No cold transfer through the sole and the felt moulds to the shape of the foot for increased wearer comfort
- Comfort 200J composite Toecap - Composite toecap design provides 200J impact protection with no cold transfer
- Pull-on Loops - Easy pull on/off with or without gloves
- Lace up - to increase the fit of the boot
- SRC Slip rated
- CI tested - testing against the cold.
- Manufactured in India

## PRODUCT ICONS

---



ZRÓWNOWAŻONY ROZWÓJ

Email: [sales@flexitog.com](mailto:sales@flexitog.com)  
Phone: +31 174 705 840  
Website: <https://www.flexitog.eu>

FlexiTog UK  
FlexiTog UK Ltd  
The Granary Business Park  
School Road, Neatishead  
Norfolk  
NR12 8BU  
Wielka Brytania

FlexiTog EU  
Schuttevaerweg 17  
3044 BA Rotterdam  
Holandia