



Extreme Freezer Glove

The Extreme Freezer Gloves are built for hard work in the coldest temperatures. With impact protection and the most durable construction you'll find, you can put them through the ringer time and time again

Ref: FGT679

Variants: M , L , XL , 2XL

Certification 1: EN 388:2016+A1:2018
3 3 4 3 X

Certification 2: EN 511:2006
2 3 0

Certification Valid Until: 21/06/2028

Updated On: 24/03/2025

PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, sans-serif font with a registered trademark symbol, set against a red rectangular background.

Weight	0.32 kg
CAT	II
DoC	The PPE detailed herein meets the criteria of Article 19(b) Risk Category II: internal production control (module B) set out in Annex V, followed by conformity of type based on internal production control (module C) set out in Annex VI, in accordance with PPE Regulation (EU) 2016/425, (UK only) as brought into UK law and amended Essential Health and Safety Requirements.
Commodity Code	62160000 Gloves, mittens and mitts, of all types of textile materials (excl. knitted or crocheted and for babies)
Country of Origin	Chiny

Email: sales@flexitog.com
Phone: +31 174 705 840
Website: <https://www.flexitog.eu>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
Wielka Brytania

FlexiTog EU
Schuttevaerweg 17
3044 BA Rotterdam
Holandia

OVERVIEW

- The Touch-Rite Nib is on the index finger of the right glove
- Touch-Rite Nib allows for accurate use of touchscreens and keypads without removing gloves, attached with no reduction in warmth
- Gloves have 100g Thinsulate® plus foam insulation with tricot lining
- Knitted fabric back with synthetic leather palm and EVA palm pads
- Pre-curved, ergonomic fit with a silicone grip pattern on palm
- Impact protection on fingers, knuckles and back Kevlar reinforced thumb crotch
- Additional features included rolled fingertips, silver reflective strip on knuckles, stretch neoprene cuff and pull tab with rubber ID tag on wrist
- Patent Pending
- Meets EN 511:2006 Protective Gloves Against Cold: 2 | 3 | 0
- Meets EN 388:2016 Protective Gloves Against Mechanical Risks: 3 | 3 | 4 | 3 | X