



## ENDURANCE DRIVE COLD STORE FILTER MASK FM7

---

The ultimate filter mask; use as a thermal neck warmer or snood in cold temperatures, to keep ultimately comfortable and safe! Does not include filter.

**Ref:** FM7

**Variants:** Black

**Area of use:** Cold Store / Freezer -5 to -50°C , Chiller +5 to -5°C

**Job role:** Driver , Picker , Manager

**Certification 1:** CE  
Minimal Risks

**Updated On:** 16/04/2025

# PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, sans-serif font with a registered trademark symbol, set against a red rectangular background.

<b>Weight</b>	1.0 kg
<b>Product Material</b>	Polyester
<b>Packaging</b>	Cardboard Box
<b>User Instructions</b>	Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it.
<b>Commodity Code</b>	65061080 Safety headgear, whether or not lined or trimmed (other than of plastics)
<b>Country of Origin</b>	Indonesia

Email: [sales@flexitog.com](mailto:sales@flexitog.com)  
Phone: +31 174 705 840  
Website: <https://www.flexitog.eu>

FlexiTog UK  
FlexiTog UK Ltd  
The Granary Business Park  
School Road, Neatishead  
Norfolk  
NR12 8BU  
United Kingdom

FlexiTog EU  
Schuttevaerweg 17  
3044 BA Rotterdam  
Netherlands

## OVERVIEW

---

- Cushioned Nose-Bridge - For a perfect seal to prevent fogging glasses and uncomfortable eyes.
- BreathEasy© Technology - Easy breathing in the cold.
- Removable Filter - External pocket for a certified removeable filter which is certified to EN14683 [Order Code: FMF](#)
- Comfortable & Secure Fit - Elastic strap and adjustable drawstring for the perfect fit.
- Washable design.
- Base: 90.6% PES 9.4% EA, Front mesh: 100% PES, Pocket: 84% PES 16% Spandex, Tape: 87% PES 13% Spandex.
- Thermal FlexEasy© fabric for a comfortbale fit.